



UNIVERSAL FLUSH ACCESS PANEL MODEL: SS-0241

- The SS-0241 universal flush access panels are suited for installations in drywall, masonry, tile or other wall and ceiling surfaces.

SPECIFICATIONS

- Door: 18 gauge (1.5mm) galvanized steel and flush to the frame
- Frame: 18 gauge (1.5mm) galvanized steel welded frame with a one-piece construction 1" wide flange
- Hinge: Concealed Pin Hinge
- Latch: Flush and screwdriver operated with steel cam latch
- Finish: White (RAL9016) powder coating


STANDARD SIZES

Panel Size W x H (Inch)	Part Number	Wall/Ceiling Opening (Inch)	# of Latches	Weight (lbs.)
8 x 8	90000-140-0101	8-1/4 x 8-1/4	1	2.6
12 x 18	90000-140-0411	12-1/4 x 18-1/4	1	6.6
14 x 14	90000-140-0301	14-1/4 x 14-1/4	1	6.0
14 x 24	90000-140-0201	14-1/4 x 24-1/4	3	9.0
14 x 30	90000-140-0211	14-1/4 x 30-1/4	3	11.6




ACCESS PANEL DETAILED SIZES

8 x 8 Access Panel




12 x 18 Access Panel




WARNING: Cancer and Reproductive Harm
www.p65warnings.ca.gov



14 x 14 Access Panel



14 x 24 Access Panel



WARNING: Cancer and Reproductive Harm
www.p65warnings.ca.gov



14 x 30 Access Panel

