



No. of Parts	Name of Parts	Material	Qua'ty	Remarks	No. of Parts	Name of Parts	Material	Qua'ty	Remarks
1	Frame	DZR Brass	1	※1	7	Link (Upper)	Alloy360	1	※2
2	Deflector	C5191	1	※1	8	Link (Lower)	Alloy360	1	※2
3	Set Screw	SUSXM7	1		9	Strut	C5191	1	
4	Valve Cap	C1100	1		10	Lever	C5191	1	
5	Disk Spring	Be-Ni/PTFE	1		11	Spring	SUS304	1	
6	Support Disk	SUS304	1						

※1 : Brass Finish or White Painted or Black Painted or Chrome Plated
 ※2 : White Painted or Black Painted

Specification

Type	Operating Temperature		Installation Position	Color Code	K-Factor	ID No.
	°F	°C				
FR-QR 162°F	162°F	72 °C	Pendent	Uncolored	5.6	SS2551
FR-QR 205°F	205°F	96 °C		White		
FR-QR 286°F	286°F	141 °C		Blue		

UL and C-UL Listed
 FM Approved



Marking
 (one stamp on one side)


- SENJU : Manufacturer
- 2018 : Year of manufacture

Color Code
 (only Brass finish)

- 162°F : Uncolored
- 205°F : White
- 286°F : Blue

Marking

- 162°F/72°C or 205°F/96°C or 286°F/141°C : Temperature Rating



Color Code
 (except Brass finish)

- 162°F : Uncolored
- 205°F : White
- 286°F : Blue

Marking

- SS2551 : SPRINKLER IDENTIFICATION No.
- K5.6 : K-factor
- QR : Quick Response
- SSP : Sprinkler Type
- : UL Mark
- : FM Mark
- 162°F/72°C or 205°F/96°C or 286°F/141°C : Temperature Rating

Drawing Name Automatic Sprinkler Head FR-QR Pendent K5.6	Issued Date : 2018/08/07	Drawing No.	Revision
	Projection Angle 3 r d	E086950	
	Scale : 1 / 1	SENJU SPRINKLER CO.LTD.	